

**Table 1C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Demographic Indicators**  
**Children Aged < 5 Years** (2,3)

Page: 1  
Run Date: 8 / 24 / 07

Total Records	Number
Individual Children	121,673
Total Records (All Visits)	207,673

Source of Data	Number	%
WIC	121,629	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
<b>Total</b>	<b>121,629</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 44 * %		

Race/Ethnic Distribution	Number	%
White, Not Hispanic	54,871	45.3
Black, Not Hispanic	22,640	18.7
Hispanic	29,469	24.3
American Indian/Alaskan Native	2,479	2.0
Asian/Pacific Islander	5,450	4.5
Multiple Races	6,190	5.1
All Other	0	0.0
<b>Total</b>	<b>121,099</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 574 0.5 %		

Age Distribution (4)	Number	%
0 - 5 Months	33,031	27.1
6 - 11 Months	11,664	9.6
12 - 23 Months	24,254	19.9
24 - 35 Months	19,645	16.1
3 - 4 Years	33,079	27.2
<b>Total</b>	<b>121,673</b>	<b>100.0</b>

% of Poverty Level	Number	%
0-50	27,228	22.4
51-100	14,865	12.2
101-130	8,971	7.4
131-150	5,128	4.2
151-185	6,394	5.3
186-200	27	*
Over 200	56	*
Adjunctive Eligibility	58,780	48.4
<b>Total</b>	<b>121,449</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 224 0.2 %		

Program Participation	Number	%
WIC	121,629	100.0
FoodStamps	11,760	100.0
Medicaid	117,845	56.5
TANF	121,369	2.5
<i>Excluded Unknown:</i>		
WIC	44	*
FoodStamps	109,913	90.3
Medicaid	3,828	3.1
TANF	304	0.2

Migrant Status	Number	%
Yes	186	0.2
No	121,443	99.8
<b>Total</b>	<b>121,629</b>	<b>100.0</b>
<i>Excluded Unknown:</i> 44 * %		

- (1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 2C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Health Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Summary of Health Indicators</b> <sup>(3)</sup>					
			Wisconsin Prevalence		National Prevalence (Prior Year)
			Number	%	Number    %
Birthweight (4)					
Low	< 2500 g		31,039	8.6	1,641,264    9.4
High	> 4000 g		31,039	7.6	1,641,264    6.6
Height and Weight					
Short Stature (5)	< 5th		118,548	5.7	6,709,486    6.4
	< 10th		118,548	10.6	6,709,486    11.4
Underweight (6)	< 5th		118,548	3.8	6,709,486    4.8
	< 10th		118,548	6.7	6,709,486    8.1
Overweight (6)	≥ 95th		118,548	12.4	6,709,486    13.9
	≥ 2 Yrs Overweight (6)	85th - < 95th	51,667	16.3	2,869,075    16.1
		≥ 95th	51,667	13.0	2,869,075    14.7
Anemia (7)					
Low Hb			80,966	10.8	3,841,438    14.1
Low Hct			4,472	4.4	773,087    9.8
Low Hb/Hct			85,045	10.4	4,381,087    13.6
Breastfeeding (8)					
Ever Breastfed			31,071	62.6	1,515,954    58.5
Breastfed At Least 6 Months			12,726	26.0	751,259    24.3
Breastfed At Least 12 Months			17,467	13.2	869,342    17.7
Smoking in Household					
≤ 2 Hours TV Viewing/ Day (9)			119,286	13.9	1,120,034    16.9
			55,813	80.1	343,170    64.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 3C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Breastfeeding Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Summary of Breastfeeding Indicators</b> <sup>(3)</sup>				
	Wisconsin Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
<b>Breastfeeding Duration</b> <sup>(4,5)</sup>				
Ever Breastfed	31,071	62.6	1,515,954	58.5
Breastfed 1+ Weeks	28,346	59.1	1,172,664	56.4
Breastfed 2+ Weeks	24,041	58.2	926,501	53.2
Breastfed 3+ Weeks	21,514	55.1	762,421	50.4
Breastfed 4+ Weeks	19,703	51.7	664,998	47.8
Breastfed 6+ Weeks	14,636	50.1	564,520	41.9
Breastfed 2+ Months	11,111	49.9	534,246	36.5
Breastfed 3+ Months	9,932	45.0	566,821	32.0
Breastfed 4+ Months	10,484	37.7	639,313	28.6
Breastfed 5+ Months	11,546	30.5	718,188	25.9
Breastfed 6+ Months	12,726	26.0	751,259	24.3
Breastfed 9+ Months	16,650	17.6	791,337	20.4
Breastfed 12+ Months	17,467	13.2	869,342	17.7
Breastfed 18+ Months	12,656	8.3	653,767	12.4
<b>Exclusive Breastfeeding</b> <sup>(6)</sup>				
Exclusively Breastfed at Least 3 Months	8,396	13.7	101,887	13.6
Exclusively Breastfed at Least 6 Months	9,479	7.0	136,891	6.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by Contributor**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Comparison of Racial and Ethnic Distribution by Contributor</b>								
<b>Contributor</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
<b>Wisconsin</b>	<b>121,673</b>	<b>45.1</b>	<b>18.6</b>	<b>24.2</b>	<b>2.0</b>	<b>4.5</b>	<b>5.1</b>	<b>0.5</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>32.3</b>	<b>18.5</b>	<b>37.7</b>	<b>1.0</b>	<b>2.5</b>	<b>1.0</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5C  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by Contributor**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by Contributor</b>				
<b>Contributor</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>Wisconsin</b>	<b>121,673</b>	<b>36.7</b>	<b>19.9</b>	<b>43.3</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>35.3</b>	<b>22.0</b>	<b>42.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by Contributor**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by Contributor <sup>(3)</sup>													
Contributor	Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct <sup>(7)</sup>		
	Low		High		Short Stature <sup>(5)</sup>	Under- weight <sup>(6)</sup>	Over- weight <sup>(6)</sup>	≥ 2 Yrs Over- weight <sup>(6)</sup>					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-	% <95th	% ≥95th	Number	%
Wisconsin	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0		85,045	10.4
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7		4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 1  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor**  
(4)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
Wisconsin	31,071	62.6	12,726	26.0	17,467	13.2	8,396	13.7	9,479	7.0	55,813	80.1	119,286	13.9
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7	1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 8C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Growth and Anemia Indicators by Race/Ethnicity or Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Growth and Anemia Indicators by Race/Ethnicity or Age <sup>(3)</sup>												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High		Short	Under	Over	≥ 2 Yrs				
		%	%		Stature	weight	weight	Overweight				
	Number	<2500 g	>4000 g	Number	(5)	(6)	(6)	Number	(6)			
					%	%	%		%	%	Number	%
					<5th	<5th	≥95th		85th-<95th	≥95th		
Race/Ethnicity												
White, Not Hispanic	14,299	8.2	8.6	53,756	5.5	3.8	10.8	23,125	15.9	10.7	38,176	6.9
Black, Not Hispanic	6,049	12.5	4.3	22,015	6.0	5.3	10.5	9,497	14.1	10.3	15,502	21.5
Hispanic	7,226	6.7	8.8	28,571	4.9	2.7	15.6	12,876	18.5	18.1	21,121	9.1
American Indian/Alaskan Native	573	6.6	12.7	2,397	3.4	2.4	20.1	1,119	21.9	21.0	1,796	7.1
Asian/Pacific Islander	1,240	6.8	4.2	5,340	11.8	3.2	13.8	2,531	16.0	15.1	4,073	10.8
Multiple Races	1,652	7.7	7.4	6,053	5.2	3.7	13.2	2,473	16.1	13.1	4,289	10.0
All Other	0	*	*	416	5.0	3.4	14.2	46	*	*	88	*
Total	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
Age												
0 - 11 Months	-	-	-	42,479	7.5	5.5	9.7	-	*	*	6,956	16.2
12 - 23 Months	-	-	-	24,402	5.7	2.1	15.5	-	*	*	28,691	14.0
24 - 35 Months	-	-	-	19,223	4.4	3.0	11.7	19,223	16.0	11.7	19,862	9.8
36 - 47 Months	-	-	-	16,557	4.4	3.3	13.2	16,557	16.5	13.2	16,691	6.7
48 - 59 Months	-	-	-	15,887	3.8	3.0	14.5	15,887	16.7	14.5	12,845	5.3
Total	-	-	-	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 9C**  
**2006 Pediatric Nutrition Surveillance**  
**Wisconsin**

Page: 1  
Run Date: 8 / 24 / 07

**Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age**  
**Children Aged < 5 Years**

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	14,311	63.9	5,711	25.4	7,654	12.5	24,900	83.8	54,146	15.3
Black, Not Hispanic	6,027	47.2	2,230	12.9	3,272	7.2	10,188	73.0	22,238	20.8
Hispanic	7,274	76.8	3,289	39.0	4,374	20.6	14,008	79.3	28,773	6.8
American Indian/Alaskan Native	570	62.1	232	24.1	376	12.8	1,234	82.3	2,436	17.9
Asian/Pacific Islander	1,234	44.4	522	16.7	803	9.2	2,768	74.9	5,396	4.1
Multiple Races	1,655	58.9	680	17.2	973	8.6	2,686	81.0	6,106	17.3
All Other	0	*	62	*	15	*	29	*	191	11.0
Total	31,071	62.6	12,726	26.0	17,467	13.2	55,813	80.1	119,286	13.9
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	42,901	12.0
12 - 23 Months	-	-	-	-	-	-	0	*	24,016	14.3
24 - 35 Months	-	-	-	-	-	-	22,924	84.4	19,495	15.1
36 - 47 Months	-	-	-	-	-	-	16,723	77.8	16,730	15.8
48 - 59 Months	-	-	-	-	-	-	16,166	76.4	16,144	15.3
Total	31,071	62.6	12,726	26.0	17,467	13.2	55,813	80.1	119,286	13.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2006	121,673	45.1	18.6	24.2	2.0	4.5	5.1	0.5
2005	115,967	49.6	20.3	20.7	2.4	4.7	1.0	1.3
2004	116,740	52.2	21.5	19.2	2.5	4.6	0.0	0.0
2003	112,855	52.8	22.0	18.3	2.5	4.4	0.0	0.0
2002	110,533	53.1	22.3	17.5	2.5	4.6	0.0	0.0
2001	108,998	53.1	23.1	16.4	2.5	4.9	0.0	0.0
2000	106,063	53.7	23.7	14.8	2.5	5.3	0.0	0.0
1999	104,221	54.4	24.5	13.0	2.5	5.7	0.0	0.0
1998	111,982	55.0	24.8	11.6	2.5	6.0	0.0	0.0
1997	116,090	55.2	25.2	10.7	2.6	6.4	0.0	0.0
1996	117,936	54.9	25.6	10.2	2.5	6.8	0.0	0.0
1995	119,022	54.6	26.4	9.5	2.4	7.2	0.0	0.0
1994	119,132	55.4	26.5	8.4	2.4	7.3	0.0	0.0
1993	272	46.7	33.1	14.0	1.1	5.1	0.0	0.0
1992	0	*	*	*	*	*	*	*
1991	0	*	*	*	*	*	*	*
1990	0	*	*	*	*	*	*	*
1989	0	*	*	*	*	*	*	*
1988	0	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 10C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8 / 24 / 07

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1987	0	*	*	*	*	*	*	*
1986	0	*	*	*	*	*	*	*
1985	0	*	*	*	*	*	*	*
1984	0	*	*	*	*	*	*	*
1983	0	*	*	*	*	*	*	*
1982	115	69.6	22.6	0.0	2.6	5.2	0.0	0.0
1981	14,903	62.4	16.8	6.9	10.4	3.3	0.0	0.0
1980	31,119	68.5	13.8	6.6	8.7	2.4	0.0	0.1
1979	22,015	64.0	17.8	7.0	9.4	1.5	0.0	0.3
1978	377	97.9	0.3	0.3	0.3	0.5	0.0	0.8
1977	9	*	*	*	*	*	*	*
1976	5	*	*	*	*	*	*	*
1975	3	*	*	*	*	*	*	*
1974	1	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 11C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2006	121,673	36.7	19.9	43.3
2005	115,967	31.6	23.2	45.2
2004	116,740	31.5	23.1	45.4
2003	112,855	31.8	22.7	45.5
2002	110,533	31.6	23.0	45.4
2001	108,998	32.2	23.0	44.8
2000	106,063	31.5	23.3	45.2
1999	104,221	30.2	23.1	46.7
1998	111,982	30.2	22.4	47.4
1997	116,090	29.1	22.1	48.8
1996	117,936	28.4	22.4	49.2
1995	119,022	28.7	22.2	49.1
1994	119,132	33.2	19.6	47.2
1993	272	86.8	6.3	7.0
1992	0	*	*	*
1991	0	*	*	*
1990	0	*	*	*
1989	0	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 11C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

Page: 2  
Run Date: 8 / 24 / 07

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1988	0	*	*	*
1987	0	*	*	*
1986	0	*	*	*
1985	0	*	*	*
1984	0	*	*	*
1983	0	*	*	*
1982	115	79.1	5.2	15.7
1981	14,903	43.5	26.9	29.5
1980	31,119	34.4	21.6	44.0
1979	22,015	29.7	21.6	48.7
1978	377	1.9	2.1	96.0
1977	9	*	*	*
1976	5	*	*	*
1975	3	*	*	*
1974	1	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 12C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8/24/2007

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0
2000	27,000	8.5	8.9	102,004	5.5	4.5	11.2	46,744	15.1	11.5	70,955	13.6
1999	25,565	8.8	9.0	100,387	5.4	4.4	10.5	47,584	14.6	10.1	69,517	13.5
1998	27,014	8.6	9.1	109,030	5.6	4.5	10.2	52,186	14.4	10.1	77,025	13.3
1997	26,681	8.5	9.2	113,120	5.6	4.3	10.2	55,828	14.7	10.1	82,877	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8/24/2007

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1996	26,542	8.3	9.4	114,905	5.8	4.6	9.6	57,370	14.6	9.7	85,637	14.0
1995	26,268	8.4	9.2	116,002	6.3	4.8	9.4	57,724	13.9	9.3	87,361	16.2
1994	26,120	8.8	9.4	116,138	6.5	4.9	9.4	55,382	13.8	8.9	88,300	17.2
1993	231	10.0	8.2	253	1.2	11.9	5.5	19	*	*	45	*
1992	0	*	*	0	*	*	*	0	*	*	0	*
1991	0	*	*	0	*	*	*	0	*	*	0	*
1990	0	*	*	0	*	*	*	0	*	*	0	*
1989	0	*	*	0	*	*	*	0	*	*	0	*
1988	0	*	*	0	*	*	*	0	*	*	0	*
1987	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 8/24/2007

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1986	0	*	*	0	*	*	*	0	*	*	0	*
1985	0	*	*	0	*	*	*	0	*	*	0	*
1984	0	*	*	0	*	*	*	0	*	*	0	*
1983	0	*	*	0	*	*	*	0	*	*	0	*
1982	69	*	*	101	5.9	10.9	4.0	17	*	*	33	*
1981	3,137	7.8	11.9	12,712	7.5	4.9	9.7	4,276	14.0	7.6	10,575	10.8
1980	6,007	7.7	11.8	27,903	6.5	5.0	9.0	13,338	13.4	7.6	23,768	8.3
1979	4,252	8.5	10.8	19,769	6.2	4.8	10.1	10,382	13.3	8.4	16,871	9.0
1978	2	*	*	366	3.6	4.1	8.5	354	17.5	8.5	29	*
1977	2	*	*	0	*	*	*	0	*	*	5	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 12C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 8/24/2007

Summary of Trends in Growth and Anemia Indicators <sup>(3)</sup>												
Year	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%
1976	4	*	*	0	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8/24/2007

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2006	31,071	62.6	12,726	26.0	17,467	13.2
2005	28,610	59.9	10,409	24.2	17,417	16.4
2004	27,213	59.3	11,238	25.0	17,605	16.1
2003	28,288	58.2	10,556	23.8	16,675	14.8
2002	27,000	55.0	10,711	22.6	16,754	14.9
2001	27,630	53.4	10,314	22.5	16,396	14.4
2000	26,838	51.0	9,868	22.1	16,194	14.6
1999	25,360	49.9	9,857	20.0	15,919	10.9
1998	26,682	50.4	10,148	17.9	16,018	7.9
1997	26,338	48.7	10,663	17.3	16,548	9.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 13C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8/24/2007

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding (4)					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1996	25,997	48.7	10,693	17.4	16,640	10.4
1995	25,753	47.0	10,973	18.6	16,161	12.2
1994	25,798	44.8	13,675	14.0	14,031	8.4
1993	226	42.0	14	*	3	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 14C**  
**2006 Pediatric Nutrition Surveillance**  
**Wisconsin**  
**Children Aged < 5 Years**

Page: 1  
Run Date: 8 / 24 / 07

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

**Table 15C**  
**2006 Pediatric Nutrition Surveillance**  
**Wisconsin**  
**Children Aged < 5 Years**

Page: 1  
Run Date: 8 / 24 / 07

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

**Table 16C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8/24/2007

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th % ≥95th
White, Not Hispanic								
0 - 11 Months	19,882	7.6	19,882	5.3	19,882	9.2	0	0.0
12 - 23 Months	10,749	5.3	10,749	2.2	10,749	14.0	0	0.0
24 - 59 Months	23,125	3.9	23,125	3.4	23,125	10.7	23,125	15.9
<b>Total</b>	<b>53,756</b>	<b>5.5</b>	<b>53,756</b>	<b>3.8</b>	<b>53,756</b>	<b>10.8</b>	<b>23,125</b>	<b>15.9</b>
Black, Not Hispanic								
0 - 11 Months	7,900	9.3	7,900	8.1	7,900	8.6	0	0.0
12 - 23 Months	4,618	6.3	4,618	2.9	4,618	14.3	0	0.0
24 - 59 Months	9,497	3.1	9,497	4.2	9,497	10.3	9,497	14.1
<b>Total</b>	<b>22,015</b>	<b>6.0</b>	<b>22,015</b>	<b>5.3</b>	<b>22,015</b>	<b>10.5</b>	<b>9,497</b>	<b>14.1</b>
Hispanic								
0 - 11 Months	9,717	6.0	9,717	4.4	9,717	10.6	0	0.0
12 - 23 Months	5,978	5.2	5,978	1.4	5,978	18.2	0	0.0
24 - 59 Months	12,876	4.0	12,876	2.0	12,876	18.1	12,876	18.5
<b>Total</b>	<b>28,571</b>	<b>4.9</b>	<b>28,571</b>	<b>2.7</b>	<b>28,571</b>	<b>15.6</b>	<b>12,876</b>	<b>18.5</b>
American Indian/Alaskan Native								
0 - 11 Months	746	5.1	746	4.7	746	14.6	0	0.0
12 - 23 Months	532	3.2	532	1.1	532	25.9	0	0.0
24 - 59 Months	1,119	2.3	1,119	1.4	1,119	21.0	1,119	21.9
<b>Total</b>	<b>2,397</b>	<b>3.4</b>	<b>2,397</b>	<b>2.4</b>	<b>2,397</b>	<b>20.1</b>	<b>1,119</b>	<b>21.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8/24/2007

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>								
	Short Stature (4)		Underweight (5)		Overweight (5)		≥ 2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th    % ≥95th
Asian/Pacific Islander								
0 - 11 Months	1,653	7.9	1,653	4.8	1,653	10.9	0	0.0    0.0
12 - 23 Months	1,156	12.5	1,156	1.6	1,156	14.9	0	0.0    0.0
24 - 59 Months	2,531	14.1	2,531	3.0	2,531	15.1	2,531	16.0    15.1
<b>Total</b>	<b>5,340</b>	<b>11.8</b>	<b>5,340</b>	<b>3.2</b>	<b>5,340</b>	<b>13.8</b>	<b>2,531</b>	<b>16.0    15.1</b>
Multiple Races								
0 - 11 Months	2,230	8.4	2,230	4.8	2,230	11.5	0	0.0    0.0
12 - 23 Months	1,350	4.2	1,350	2.9	1,350	16.3	0	0.0    0.0
24 - 59 Months	2,473	2.7	2,473	3.1	2,473	13.1	2,473	16.1    13.1
<b>Total</b>	<b>6,053</b>	<b>5.2</b>	<b>6,053</b>	<b>3.7</b>	<b>6,053</b>	<b>13.2</b>	<b>2,473</b>	<b>16.1    13.1</b>
All Other/Unknown								
0 - 11 Months	351	4.3	351	3.4	351	13.7	0	0.0    0.0
12 - 23 Months	19	*	19	*	19	*	0	*    *
24 - 59 Months	46	*	46	*	46	*	46	*    *
<b>Total</b>	<b>416</b>	<b>5.0</b>	<b>416</b>	<b>3.4</b>	<b>416</b>	<b>14.2</b>	<b>46</b>	<b>*    *</b>
Total All Race/Ethnic Groups								
0 - 11 Months	42,479	7.5	42,479	5.5	42,479	9.7	0	0.0    0.0
12 - 23 Months	24,402	5.7	24,402	2.1	24,402	15.5	0	0.0    0.0
24 - 59 Months	51,667	4.2	51,667	3.1	51,667	13.0	51,667	16.3    13.0
<b>Total</b>	<b>118,548</b>	<b>5.7</b>	<b>118,548</b>	<b>3.8</b>	<b>118,548</b>	<b>12.4</b>	<b>51,667</b>	<b>16.3    13.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Anemia Indicators by Race/Ethnicity and Age</b> <sup>(3, 4)</sup>					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,344	11.8	6 - 11 Months	320	11.6
12 - 17 Months	7,201	11.3	12 - 17 Months	750	9.7
18 - 23 Months	5,668	7.4	18 - 23 Months	590	12.0
24 - 35 Months	8,901	5.6	24 - 35 Months	919	18.0
36 - 59 Months	13,062	3.7	36 - 59 Months	1,494	6.2
<b>Total</b>	<b>38,176</b>	<b>6.9</b>	<b>Total</b>	<b>4,073</b>	<b>10.8</b>
Black, Not Hispanic			Multiple Races		
6 - 11 Months	1,294	28.8	6 - 11 Months	371	15.4
12 - 17 Months	2,986	28.6	12 - 17 Months	881	15.1
18 - 23 Months	2,282	25.0	18 - 23 Months	663	12.4
24 - 35 Months	3,532	21.5	24 - 35 Months	975	8.9
36 - 59 Months	5,408	14.3	36 - 59 Months	1,399	4.9
<b>Total</b>	<b>15,502</b>	<b>21.5</b>	<b>Total</b>	<b>4,289</b>	<b>10.0</b>
Hispanic			All Other/Unknown		
6 - 11 Months	1,516	16.4	6 - 11 Months	3	*
12 - 17 Months	4,039	14.8	12 - 17 Months	21	*
18 - 23 Months	3,001	11.2	18 - 23 Months	11	*
24 - 35 Months	5,097	7.8	24 - 35 Months	21	*
36 - 59 Months	7,468	4.7	36 - 59 Months	32	*
<b>Total</b>	<b>21,121</b>	<b>9.1</b>	<b>Total</b>	<b>88</b>	<b>*</b>
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	108	13.9	6 - 11 Months	6,956	16.2
12 - 17 Months	339	9.4	12 - 17 Months	16,217	15.5
18 - 23 Months	259	10.4	18 - 23 Months	12,474	12.1
24 - 35 Months	417	6.7	24 - 35 Months	19,862	9.8
36 - 59 Months	673	3.9	36 - 59 Months	29,536	6.1
<b>Total</b>	<b>1,796</b>	<b>7.1</b>	<b>Total</b>	<b>85,045</b>	<b>10.4</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 18C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 1  
Run Date: 8 / 24 / 07

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th -	% <95th	% ≥95th	Number
White, Not Hispanic	2006	14,299	8.2	8.6	53,756	5.5	3.8	10.8	23,125	15.9	10.7	38,176	6.9
	2005	14,231	8.0	9.1	56,112	5.3	4.3	11.1	25,217	15.4	11.5	37,793	8.5
	2004	15,915	8.5	9.4	59,280	5.3	4.1	11.3	26,229	16.0	11.9	40,143	9.3
	2003	15,543	7.3	9.7	57,981	5.0	4.4	11.1	26,041	15.9	11.8	39,157	8.1
	2002	14,697	7.8	10.1	56,663	5.0	4.3	10.4	25,667	14.9	10.6	38,970	8.4
	2001	15,042	7.8	10.2	55,794	5.2	4.5	10.3	24,906	14.0	10.4	37,577	9.5
	2000	14,940	7.8	10.3	54,936	5.3	4.4	10.1	24,466	14.9	10.2	37,526	9.0
	1999	14,391	7.6	10.6	54,699	4.9	4.3	9.6	25,110	14.5	9.2	37,247	8.2
	1998	15,690	7.6	10.9	60,161	5.0	4.4	9.3	27,569	13.9	9.1	41,382	8.8
	1997	15,598	7.6	10.9	62,574	5.1	4.2	9.3	29,404	14.1	8.9	44,488	8.6
Black, Not Hispanic	2006	6,049	12.5	4.3	22,015	6.0	5.3	10.5	9,497	14.1	10.3	15,502	21.5
	2005	6,028	12.4	5.0	22,789	5.4	6.1	10.4	10,401	14.0	10.0	15,560	23.6
	2004	6,485	12.3	5.3	24,278	5.6	6.1	10.6	11,241	14.3	10.7	16,818	25.4
	2003	6,332	12.7	5.1	23,964	5.5	5.6	10.3	11,180	13.6	10.1	16,601	22.5
	2002	6,077	12.3	5.2	23,664	6.5	5.3	9.9	11,172	13.2	8.9	16,779	23.7
	2001	6,302	12.0	5.4	24,070	6.4	5.6	9.8	11,281	12.9	8.2	16,980	23.0
	2000	6,343	12.3	5.1	24,136	5.8	5.9	9.9	11,286	13.0	8.8	16,925	25.4
	1999	6,153	13.1	5.0	24,581	6.2	5.6	9.4	12,010	12.3	8.1	17,156	25.6
	1998	6,381	12.6	5.0	26,952	6.2	5.5	9.0	13,553	12.7	7.6	19,367	24.0
	1997	6,354	12.3	5.1	28,417	5.8	5.5	9.0	14,885	13.3	8.1	21,498	23.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 18C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 2  
Run Date: 8 / 24 / 07

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2006	7,226	6.7	8.8	28,571	4.9	2.7	15.6	12,876	18.5	18.1	21,121	9.1
	2005	5,438	6.1	9.0	23,228	4.7	3.6	16.0	11,152	18.6	17.7	16,590	10.2
	2004	5,189	5.8	8.9	21,669	4.3	3.4	15.9	10,455	18.3	18.1	15,611	10.9
	2003	4,844	6.3	9.0	19,959	4.7	3.5	16.0	9,407	17.6	17.8	14,379	11.5
	2002	4,734	6.2	9.0	18,552	4.8	3.8	16.3	8,445	16.4	16.4	13,251	11.6
	2001	4,659	6.1	9.8	17,169	4.9	3.9	15.1	7,648	17.5	15.5	11,899	11.1
	2000	3,975	6.5	9.8	14,962	4.6	3.7	14.3	6,812	17.6	15.9	10,611	12.5
	1999	3,355	7.1	9.7	12,893	4.4	3.9	13.4	5,961	15.9	13.5	9,036	13.6
	1998	3,201	6.2	8.5	12,568	4.9	4.1	12.9	5,877	16.9	15.0	8,975	13.0
	1997	2,855	7.0	8.4	11,967	4.9	3.5	12.9	5,848	17.0	14.1	8,918	11.9
American Indian/Alaskan Native	2006	573	6.6	12.7	2,397	3.4	2.4	20.1	1,119	21.9	21.0	1,796	7.1
	2005	656	6.6	16.5	2,716	3.4	2.7	18.6	1,318	21.9	19.3	1,832	7.6
	2004	678	4.7	14.3	2,836	3.5	3.2	19.2	1,361	22.6	20.5	1,971	8.0
	2003	608	5.9	17.3	2,674	4.0	2.1	19.8	1,246	20.0	19.2	1,900	8.2
	2002	635	4.6	13.5	2,666	3.7	2.4	18.3	1,286	19.1	18.0	1,822	10.2
	2001	616	5.4	15.4	2,583	3.5	3.0	18.0	1,249	19.3	18.4	1,777	8.7
	2000	579	4.1	15.5	2,541	3.8	2.0	19.1	1,244	21.7	20.3	1,860	8.9
	1999	602	5.0	15.9	2,511	3.6	2.3	17.3	1,230	22.8	18.8	1,734	10.3
	1998	578	8.7	16.6	2,760	3.7	2.1	18.7	1,392	21.4	19.1	2,075	8.9
	1997	643	4.7	17.9	2,936	3.4	2.2	19.4	1,512	20.5	19.8	2,196	8.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 18C**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**

Page: 3  
Run Date: 8 / 24 / 07

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** <sup>(2)</sup>

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th -	% <95th	% ≥95th	Number
Asian/Pacific Islander	2006	1,240	6.8	4.2	5,340	11.8	3.2	13.8	2,531	16.0	15.1	4,073	10.8
	2005	1,232	7.5	3.7	5,312	12.3	3.8	13.0	2,544	16.9	15.8	3,743	13.1
	2004	1,279	7.3	4.7	5,209	11.8	3.6	13.5	2,537	17.1	15.8	3,710	13.7
	2003	1,143	6.7	4.5	4,803	9.2	3.4	15.2	2,409	17.8	18.3	3,410	13.3
	2002	1,057	8.4	5.0	4,877	9.9	3.5	15.4	2,420	17.4	18.4	3,595	13.8
	2001	1,159	6.1	4.5	5,159	9.3	3.7	14.7	2,646	17.6	18.2	3,701	11.5
	2000	1,162	6.7	5.8	5,416	9.6	2.7	15.8	2,931	16.9	18.4	4,024	13.1
	1999	1,064	8.0	4.7	5,699	9.7	3.0	14.3	3,272	18.4	15.9	4,343	12.6
	1998	1,164	7.6	4.2	6,587	11.1	2.5	13.8	3,795	17.4	15.9	5,225	12.0
	1997	1,223	6.2	5.6	7,215	11.4	2.6	14.6	4,179	17.9	16.3	5,775	11.6
Multiple Races	2006	1,652	7.7	7.4	6,053	5.2	3.7	13.2	2,473	16.1	13.1	4,289	10.0
	2005	376	10.4	8.2	1,076	5.4	4.3	14.2	343	14.3	12.5	723	9.3
	2004	0	*	*	0	*	*	*	0	*	*	0	*
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*
	1999	0	*	*	0	*	*	*	0	*	*	0	*
	1998	0	*	*	0	*	*	*	0	*	*	0	*
	1997	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 18C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 4  
Run Date: 8 / 24 / 07

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** (2)

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity <sup>(3)</sup>													
Race/Ethnicity and Year		Birthweight <sup>(4)</sup>			Height and Weight							Anemia Low Hb/Hct (7)	
		Low	High	Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Overweight (6)						
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th -	% <95th	% ≥95th	Number
All Other/Unknown	2006	0	*	*	416	5.0	3.4	14.2	46	*	*	88	*
	2005	490	11.0	8.6	1,520	7.6	5.2	9.8	435	12.9	11.5	796	11.2
	2004	1	*	*	3	*	*	*	2	*	*	2	*
	2003	1	*	*	3	*	*	*	1	*	*	1	*
	2002	1	*	*	7	*	*	*	3	*	*	3	*
	2001	4	*	*	21	*	*	*	11	*	*	18	*
	2000	1	*	*	13	*	*	*	5	*	*	9	*
	1999	0	*	*	4	*	*	*	1	*	*	1	*
	1998	0	*	*	2	*	*	*	0	*	*	1	*
	1997	8	*	*	11	*	*	*	0	*	*	2	*
Total All Race/Ethnic Groups	2006	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
	2005	28,451	8.6	8.1	112,753	5.5	4.5	12.3	51,410	16.0	13.0	77,037	12.2
	2004	29,547	8.7	8.3	113,275	5.4	4.3	12.4	51,825	16.3	13.3	78,255	13.2
	2003	28,471	8.3	8.5	109,384	5.2	4.4	12.2	50,284	15.9	13.0	75,448	12.2
	2002	27,201	8.5	8.7	106,429	5.5	4.3	11.8	48,993	15.0	11.8	74,420	12.7
	2001	27,782	8.4	8.9	104,796	5.6	4.6	11.4	47,741	14.6	11.4	71,952	13.0
	2000	27,000	8.5	8.9	102,004	5.5	4.5	11.2	46,744	15.1	11.5	70,955	13.6
	1999	25,565	8.8	9.0	100,387	5.4	4.4	10.5	47,584	14.6	10.1	69,517	13.5
	1998	27,014	8.6	9.1	109,030	5.6	4.5	10.2	52,186	14.4	10.1	77,025	13.3
	1997	26,681	8.5	9.2	113,120	5.6	4.3	10.2	55,828	14.7	10.1	82,877	13.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 19C**  
**2006 Pediatric Nutrition Surveillance (1)**  
**Wisconsin**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 1  
Run Date: 8 / 24 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2006	14,311	63.9	5,711	25.4	7,654	12.5
	2005	14,228	60.9	5,173	23.8	8,523	15.5
	2004	14,658	60.7	6,085	23.8	9,201	15.7
	2003	15,434	59.8	5,742	24.0	8,704	14.4
	2002	14,598	57.6	5,820	23.1	8,763	15.1
	2001	14,943	56.9	5,649	24.3	8,683	15.0
	2000	14,801	55.4	5,429	23.4	8,716	15.1
	1999	14,226	54.7	5,687	21.6	8,829	10.9
	1998	15,536	55.1	5,784	18.9	8,889	8.2
	1997	15,412	52.7	6,269	18.8	9,341	10.3
Black, Not Hispanic	2006	6,027	47.2	2,230	12.9	3,272	7.2
	2005	5,917	44.8	1,920	13.5	3,401	9.8
	2004	5,921	43.6	2,223	14.9	3,655	10.7
	2003	6,305	43.0	2,175	15.1	3,558	9.6
	2002	6,054	37.9	2,248	13.5	3,662	8.8
	2001	6,284	35.1	2,217	12.5	3,731	8.8
	2000	6,335	34.3	2,200	13.0	3,835	8.7
	1999	6,142	32.9	2,195	11.8	3,765	7.7
	1998	6,250	34.8	2,305	10.8	4,006	5.4
	1997	6,239	34.7	2,365	9.3	4,047	6.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2006 Pediatric Nutrition Surveillance (1)**  
**Wisconsin**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 2  
Run Date: 8 / 24 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2006	7,274	76.8	3,289	39.0	4,374	20.6
	2005	5,483	76.8	2,201	36.5	3,780	24.3
	2004	4,837	77.5	2,166	38.0	3,518	22.6
	2003	4,831	76.3	1,970	35.0	3,303	21.8
	2002	4,712	72.3	1,935	32.8	3,159	21.7
	2001	4,646	70.6	1,773	32.9	2,794	20.8
	2000	3,984	67.0	1,535	31.3	2,426	20.2
	1999	3,346	65.1	1,322	27.8	2,157	16.4
	1998	3,174	64.5	1,240	29.0	1,862	12.9
	1997	2,830	63.5	1,165	26.8	1,750	15.1
American Indian/Alaskan Native	2006	570	62.1	232	24.1	376	12.8
	2005	643	60.3	223	24.7	427	16.2
	2004	604	59.6	234	28.2	438	18.3
	2003	586	59.4	252	21.8	440	19.8
	2002	583	60.0	249	30.1	418	19.9
	2001	594	54.5	214	20.1	403	18.4
	2000	556	52.3	255	23.5	433	22.2
	1999	587	55.7	213	25.4	375	11.2
	1998	567	54.5	298	19.5	427	7.3
	1997	628	57.6	278	19.8	425	15.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2006 Pediatric Nutrition Surveillance (1)**  
**Wisconsin**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 3  
Run Date: 8 / 24 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2006	1,234	44.4	522	16.7	803	9.2
	2005	1,227	43.0	475	21.3	814	17.9
	2004	1,192	46.5	530	26.2	793	15.8
	2003	1,131	42.2	417	14.1	670	9.9
	2002	1,052	37.0	459	15.3	751	11.3
	2001	1,159	37.1	461	10.6	784	9.9
	2000	1,161	31.1	449	17.1	784	15.9
	1999	1,059	34.1	440	15.5	793	10.7
	1998	1,155	31.5	521	11.3	834	6.5
	1997	1,221	30.6	586	13.5	985	9.1
Multiple Races	2006	1,655	58.9	680	17.2	973	8.6
	2005	376	57.2	218	17.9	247	15.8
	2004	0	*	0	*	0	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	0	*	0	*	0	*
	1997	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2006 Pediatric Nutrition Surveillance (1)**  
**Wisconsin**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

Page: 4  
Run Date: 8 / 24 / 07

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity <sup>(3)</sup>							
Race/Ethnicity and Year		Breastfeeding <sup>(4)</sup>					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2006	0	*	62	*	15	*
	2005	736	64.7	199	16.6	225	12.9
	2004	1	*	0	*	0	*
	2003	1	*	0	*	0	*
	2002	1	*	0	*	1	*
	2001	4	*	0	*	1	*
	2000	1	*	0	*	0	*
	1999	0	*	0	*	0	*
	1998	0	*	0	*	0	*
	1997	8	*	0	*	0	*
Total All Race/Ethnic Groups	2006	31,071	62.6	12,726	26.0	17,467	13.2
	2005	28,610	59.9	10,409	24.2	17,417	16.4
	2004	27,213	59.3	11,238	25.0	17,605	16.1
	2003	28,288	58.2	10,556	23.8	16,675	14.8
	2002	27,000	55.0	10,711	22.6	16,754	14.9
	2001	27,630	53.4	10,314	22.5	16,396	14.4
	2000	26,838	51.0	9,868	22.1	16,194	14.6
	1999	25,360	49.9	9,857	20.0	15,919	10.9
	1998	26,682	50.4	10,148	17.9	16,018	7.9
	1997	26,338	48.7	10,663	17.3	16,548	9.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.





**Table 20C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

Summary of Trends in Growth Indicators by Age <sup>(3)</sup>																		
Age and Year *		Height and Weight								Age and Year *		Height and Weight						
		Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)						Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%				Number	%	%	%	Number	%	%
		<5th	<5th	≥95th	85th-<95th			≥95th			<5th	<5th	≥95th	85th-<95th			≥95th	
0 - 11 Months										24 - 35 Months								
2006	42,479	7.5	5.5	9.7	0	*	*		2006	19,223	4.4	3.0	11.7	19,223	16.0	11.7		
2005	34,813	7.4	8.0	8.4	0	*	*		2005	18,912	4.3	3.4	11.5	18,912	15.6	11.5		
2004	35,031	7.6	7.4	8.1	0	*	*		2004	18,993	4.1	3.2	11.3	18,993	15.8	11.3		
2003	34,087	7.3	6.9	8.2	0	*	*		2003	18,447	3.7	3.7	11.5	18,447	15.5	11.5		
2002	32,759	7.6	6.4	8.8	0	*	*		2002	18,003	3.8	4.2	10.5	18,003	13.8	10.5		
2001	32,739	8.1	6.6	8.9	0	*	*		2001	17,642	3.5	4.5	9.8	17,642	13.4	9.8		
2000	31,190	7.5	7.2	7.8	0	*	*		2000	17,219	3.7	4.0	9.8	17,219	13.9	9.8		
1999	29,268	7.7	6.8	7.8	0	*	*		1999	17,215	3.4	4.1	9.2	17,215	12.8	9.2		
1998	32,011	7.4	6.9	7.3	0	*	*		1998	18,132	3.8	4.3	9.1	18,132	13.1	9.1		
1997	31,947	7.1	6.6	7.6	0	*	*		1997	19,261	3.9	3.9	8.9	19,261	13.7	8.9		
12 - 23 Months										36 - 47 Months								
2006	24,402	5.7	2.1	15.5	0	*	*		2006	16,557	4.4	3.3	13.2	16,557	16.5	13.2		
2005	26,530	5.9	2.1	16.0	0	*	*		2005	16,587	4.1	3.4	13.5	16,587	15.7	13.5		
2004	26,419	5.4	2.2	16.1	0	*	*		2004	16,748	3.9	3.5	14.3	16,748	16.1	14.3		
2003	25,013	5.4	2.4	16.0	0	*	*		2003	16,353	3.9	4.0	13.6	16,353	15.7	13.6		
2002	24,677	5.9	2.4	15.6	0	*	*		2002	15,852	4.1	4.2	12.2	15,852	15.1	12.2		
2001	24,316	5.8	2.5	14.9	0	*	*		2001	15,447	3.8	4.5	11.6	15,447	14.8	11.6		
2000	24,070	5.6	2.4	15.1	0	*	*		2000	14,940	4.5	3.6	12.4	14,940	15.0	12.4		
1999	23,535	5.5	2.5	14.6	0	*	*		1999	15,166	4.3	4.0	10.7	15,166	15.4	10.7		
1998	24,833	5.7	2.5	13.9	0	*	*		1998	16,766	4.8	3.8	10.4	16,766	15.0	10.4		
1997	25,345	5.4	2.7	13.6	0	*	*		1997	18,107	5.5	3.8	10.7	18,107	14.5	10.7		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 20C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

Page: 2  
Run Date: 8 / 24 / 07

Summary of Trends in Growth Indicators by Age <sup>(3)</sup>																	
Age and Year *		Height and Weight							Age and Year *		Height and Weight						
		Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)					Short Stature (4)		Under-weight (5)	Over-weight (5)	≥ 2 Yrs Overweight (5)		
		Number	%	%	%	Number	%	%			Number	%	%	%	Number	%	%
		<5th		<5th	≥95th	85th-<95th		≥95th			<5th		<5th	≥95th	85th-<95th		≥95th
48 - 59 Months																	
2006		15,887	3.8	3.0	14.5	15,887	16.7	14.5									
2005		15,911	3.7	3.3	14.2	15,911	16.9	14.2									
2004		16,084	3.8	3.3	14.7	16,084	17.2	14.7									
2003		15,484	3.6	3.3	14.3	15,484	16.6	14.3									
2002		15,138	3.7	3.4	13.0	15,138	16.4	13.0									
2001		14,652	3.8	3.9	13.0	14,652	16.0	13.0									
2000		14,585	4.2	3.6	12.5	14,585	16.7	12.5									
1999		15,203	4.4	3.6	10.7	15,203	15.9	10.7									
1998		17,288	4.9	3.6	10.9	17,288	15.2	10.9									
1997		18,460	5.2	3.4	10.8	18,460	15.9	10.8									
Total All Age Groups																	
2006		118,548	5.7	3.8	12.4	51,667	16.3	13.0									
2005		112,753	5.5	4.5	12.3	51,410	16.0	13.0									
2004		113,275	5.4	4.3	12.4	51,825	16.3	13.3									
2003		109,384	5.2	4.4	12.2	50,284	15.9	13.0									
2002		106,429	5.5	4.3	11.8	48,993	15.0	11.8									
2001		104,796	5.6	4.6	11.4	47,741	14.6	11.4									
2000		102,004	5.5	4.5	11.2	46,744	15.1	11.5									
1999		100,387	5.4	4.4	10.5	47,584	14.6	10.1									
1998		109,030	5.6	4.5	10.2	52,186	14.4	10.1									
1997		113,120	5.6	4.3	10.2	55,828	14.7	10.1									

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 21C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

Summary of Trends in Anemia by Age (3)						
Age and Year		Anemia Low Hb/Hct (4)				
		Number	%			
6 - 11 Months				18 - 23 Months		
	2006	6,956	16.2		2006	12,474 12.1
	2005	5,354	16.1		2005	11,613 13.8
	2004	5,135	16.9		2004	11,660 15.1
	2003	5,357	16.1		2003	11,332 14.3
	2002	5,411	15.4		2002	11,117 15.0
	2001	4,964	16.5		2001	10,697 15.6
	2000	4,330	19.0		2000	10,306 16.5
	1999	4,340	17.7		1999	9,909 15.7
	1998	5,815	17.0		1998	7,994 16.3
	1997	6,633	16.0		1997	8,745 15.8
12 - 17 Months				24 - 35 Months		
	2006	16,217	15.5		2006	19,862 9.8
	2005	15,972	16.1		2005	16,657 12.5
	2004	16,255	17.2		2004	16,750 13.8
	2003	15,184	15.4		2003	16,205 12.7
	2002	15,081	15.6		2002	16,010 13.9
	2001	14,814	16.2		2001	15,688 13.8
	2000	14,755	17.9		2000	15,665 14.0
	1999	14,272	16.8		1999	15,384 14.6
	1998	15,310	15.4		1998	17,654 15.0
	1997	15,571	16.2		1997	18,601 14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Page: 2  
Run Date: 8 / 24 / 07

Summary of Trends in Anemia by Age <sup>(3)</sup>								
Age and Year		Anemia Low Hb/Hct <sup>(4)</sup>			Age and Year		Anemia Low Hb/Hct <sup>(4)</sup>	
		Number	%				Number	%
36 - 59 Months					Total All Age Groups			
	2006	29,536	6.1			2006	85,045	10.4
	2005	27,441	8.2			2005	77,037	12.2
	2004	28,455	9.2			2004	78,255	13.2
	2003	27,370	8.4			2003	75,448	12.2
	2002	26,801	8.9			2002	74,420	12.7
	2001	25,789	9.1			2001	71,952	13.0
	2000	25,899	9.0			2000	70,955	13.6
	1999	25,612	9.5			1999	69,517	13.5
	1998	30,252	9.8			1998	77,025	13.3
	1997	33,327	9.3			1997	82,877	13.1
All Other/Unknown								
	2006	0	*					
	2005	0	*					
	2004	0	*					
	2003	0	*					
	2002	0	*					
	2001	0	*					
	2000	0	*					
	1999	0	*					
	1998	0	*					
	1997	0	*					

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

